

## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| L1    | 285  | (stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6 ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1) near3 (list or table))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/03/08 11:31 |
| L2    | 4    | 1 same (management adj server\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/03/08 10:55 |
| L3    | 1266 | (trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (management near2 (server\$1 or node\$1))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/03/08 10:56 |
| L4    | 99   | 3 same list   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/03/08 11:15 |
| L5    | 44   | 3 with list   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/03/08 10:56 |
| L6    | 2    | 4 same (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/03/08 10:59 |
| L7    | 2    | 4 same ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/03/08 11:20 |
| L8    | 4    | (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)) near6 (management near2 (server\$1 or node\$1))       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2006/03/08 11:19 |
| L9    | 33   | ("5875306").URPN.   | USPAT   | OR               | OFF     | 2006/03/08 11:02 |

## EAST Search History

|     |    |  |   |    |     |                  |
|-----|----|--|---|----|-----|------------------|
| L10 | 18 | ("4885770"   "5113495"   "5146568"<br>  "5280627"   "5325529"  <br>"5390324"   "5408618"   "5450576"<br>  "5452454"   "5504746"  <br>"5511208"   "5550981"   "5572528"<br>  "5574860"   "5594731"  <br>"5652908"   "5659544"  <br>"H001641").PN. | US-PGPUB;<br>USPAT;<br>USOCR                            | OR | OFF | 2006/03/08 11:11 |
| L11 | 0  | 4 and 713/1.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:17 |
| L12 | 0  | 4 and 713/2.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:15 |
| L13 | 0  | 5 and 713/1.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:16 |
| L14 | 0  | 5 and 713/2.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:16 |
| L15 | 2  | 3 and 713/1.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:16 |
| L16 | 0  | 3 and 713/2.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:16 |
| L17 | 1  | 1 and 713/1.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:18 |
| L18 | 4  | 1 and 713/2.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:18 |

## EAST Search History

|     |     |  |   |    |     |                  |
|-----|-----|--|---|----|-----|------------------|
| L19 | 4   | (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)) same (management near2 (server\$1 or node\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:19 |
| L20 | 4   | (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)) with (management near2 (server\$1 or node\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:19 |
| L21 | 60  | (management near2 (server\$1 or node\$1)) and 713/1.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:24 |
| L22 | 5   | 21 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:24 |
| L23 | 61  | (management near2 (server\$1 or node\$1)) and 713/2.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:22 |
| L24 | 8   | 23 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:31 |
| L25 | 144 | (management near2 (server or node or computer)) and 713/1.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:30 |
| L26 | 6   | 25 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:26 |
| L27 | 127 | (management near2 (server or node or computer)) and 713/2.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:39 |

## EAST Search History

|     |      |   |   |    |     |                  |
|-----|------|---|---|----|-----|------------------|
| L28 | 14   | 27 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:40 |
| L29 | 4613 | (management near2 (server or node or computer)).clm.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:30 |
| L30 | 2203 | (management adj (server or node or computer)).clm.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:30 |
| L31 | 43   | 30 and ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:46 |
| L32 | 20   | 31 and ((server\$1 or node\$1 or computer\$1) near3 (list or table))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:32 |
| L33 | 2203 | (management adj (server or node or computer)).clm.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:39 |
| L34 | 527  | ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1).clm.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:40 |
| L35 | 12   | 33 and 34   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:40 |
| L36 | 181  | (management near2 (server or node or computer)) near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp or BSP) near3 (server or node or computer)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:50 |

## EAST Search History

|     |     |  |   |    |     |                  |
|-----|-----|--|---|----|-----|------------------|
| L37 | 5   | 36 same (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:48 |
| L38 | 339 | (management near2 (server or node or computer)) same ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp or BSP) near3 (server or node or computer))         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:48 |
| L39 | 7   | 38 same (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:50 |
| L40 | 220 | (management near2 (server or node or computer)) with ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp or BSP) near3 (server or node or computer))         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:48 |
| L41 | 5   | 40 with (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:49 |
| L42 | 21  | ((management near2 (server or node or computer)) near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp or BSP) near3 (server or node or computer))).clm. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:50 |
| L43 | 4   | 42 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:50 |

## EAST Search History

|     |      |   |   |    |     |                  |
|-----|------|---|---|----|-----|------------------|
| L44 | 45   | (US-20020078188-\$ or US-20040078679-\$ or US-20030187997-\$ or US-20030093510-\$ or US-20030200290-\$ or US-20030097553-\$ or US-20040255110-\$ or US-20040193867-\$ or US-20030126242-\$ or US-20030046529-\$ or US-20040162974-\$ or US-20040030879-\$ or US-20040123091-\$ or US-20030200273-\$ or US-20040064507-\$ or US-20040059900-\$ or US-20050010757-\$ or US-20040143654-\$ or US-20030084342-\$ or US-20030018763-\$).did. or (US-5870554-\$ or US-6487186-\$ or US-6584560-\$ or US-6081890-\$ or US-6754818-\$ or US-6611911-\$ or US-6954852-\$ or US-5659748-\$ or US-5450576-\$ or US-6351810-\$ or US-6993642-\$ or US-5974547-\$ or US-5404527-\$ or US-6754707-\$ or US-6185678-\$ or US-6748423-\$ or US-6609151-\$ or US-5875306-\$ or US-6446206-\$ or US-5652908-\$ or US-6751658-\$ or US-6973587-\$ or US-7007077-\$ or US-6317826-\$). did. or (WO-2084512-\$).did. | US-PGPUB;<br>USPAT;<br>EPO                              | OR | OFF | 2006/03/08 12:03 |
| L45 | 3    | 44 and ((secure\$2 or safe\$2) near3 (boot\$3 or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 12:04 |
| L46 | 6    | 44 and ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 12:07 |
| S1  | 9258 | (secure\$2 or safe\$2) near6 (boot\$3 or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:25 |
| S2  | 7    | S1 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 list)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:19 |

## EAST Search History

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| S3  | 7    | S1 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 list)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 12:58 |
| S4  | 10   | S1 same (server\$1 near3 list)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:19 |
| S5  | 5    | S1 with (server\$1 near3 list)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:03 |
| S6  | 4208 | (stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6<br>((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 list) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 10:50 |
| S7  | 4    | S6 same ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:18 |
| S8  | 1    | S6 with ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:13 |
| S9  | 3356 | (stor\$3 or hold\$3 or has or hav\$3 or includ\$3 or contain\$3) near6<br>(server\$1 near3 list)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:15 |
| S10 | 4    | S9 same ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:15 |
| S11 | 1    | S9 with ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:15 |
| S12 | 2    | S1 same S6   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:17 |

## EAST Search History

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| S13 | 2    | S1 with S6   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:17 |
| S14 | 2    | S1 same S9   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:17 |
| S15 | 2    | S1 with S9   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:17 |
| S16 | 13   | S1 same ((trust\$2 or authoriz\$5 or<br>approv\$3 or permi\$5 or accept\$4 or<br>allow\$4) near3 (list or table))                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:49 |
| S17 | 11   | S1 with ((trust\$2 or authoriz\$5 or<br>approv\$3 or permi\$5 or accept\$4 or<br>allow\$4) near3 (list or table))                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:20 |
| S18 | 6670 | (secure\$2 or safe\$2) near3 (boot\$3<br>or initializ\$5 or bootstrap\$4 or (boot<br>adj strap\$4))                                      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 12:03 |
| S19 | 13   | S18 same ((trust\$2 or authoriz\$5 or<br>approv\$3 or permi\$5 or accept\$4 or<br>allow\$4) near3 (list or table))                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:29 |
| S20 | 11   | S18 with ((trust\$2 or authoriz\$5 or<br>approv\$3 or permi\$5 or accept\$4 or<br>allow\$4) near3 (list or table))                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:27 |
| S21 | 5532 | network near3 (boot\$3 or initializ\$5<br>or bootstrap\$4 or (boot adj<br>strap\$4))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:28 |
| S22 | 6672 | (secure\$2 or safe\$2) near3 (boot\$3<br>or preboot\$ or (pre adj boot\$3) or<br>initializ\$5 or bootstrap\$4 or (boot<br>adj strap\$4)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:38 |



## EAST Search History

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| S23 | 13   | S22 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:34 |
| S24 | 11   | S22 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:29 |
| S25 | 5537 | network near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:29 |
| S26 | 24   | S25 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:29 |
| S27 | 11   | S25 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))     | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:29 |
| S28 | 12   | S22 same ((server\$1 or node\$1) near3 (list or table))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:41 |
| S29 | 9    | S22 with ((server\$1 or node\$1) near3 (list or table))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:32 |
| S30 | 80   | S25 same ((server\$1 or node\$1) near3 (list or table))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:34 |
| S31 | 22   | S25 with ((server\$1 or node\$1) near3 (list or table))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:34 |
| S32 | 23   | S30 same (trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4)                             | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:35 |

## EAST Search History

|     |      |   |   |    |     |                  |
|-----|------|---|---|----|-----|------------------|
| S33 | 8    | S31 with (trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:37 |
| S34 | 9455 | (secure\$2 or safe\$2 or reliab\$2 or depend\$4 or reliant\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:43 |
| S35 | 18   | S34 same ((server\$1 or node\$1) near3 (list or table))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:43 |
| S36 | 10   | S34 with ((server\$1 or node\$1) near3 (list or table))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:41 |
| S37 | 7329 | (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:45 |
| S38 | 12   | S37 same ((server\$1 or node\$1) near3 (list or table))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:45 |
| S39 | 9    | S37 with ((server\$1 or node\$1) near3 (list or table))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:43 |
| S40 | 5537 | network near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:48 |
| S41 | 80   | S40 same ((server\$1 or node\$1) near3 (list or table))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:45 |
| S42 | 22   | S40 with ((server\$1 or node\$1) near3 (list or table))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:45 |

## EAST Search History

|     |      |   |   |    |     |                  |
|-----|------|---|---|----|-----|------------------|
| S43 | 5    | S41 same ((secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)))            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:57 |
| S44 | 3    | S42 with ((secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)))            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:45 |
| S45 | 7    | S41 same (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:26 |
| S46 | 5    | S42 with (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:46 |
| S47 | 7035 | (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (server\$1 or node\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:56 |
| S48 | 37   | S47 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:07 |
| S49 | 16   | S47 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:49 |
| S50 | 202  | (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 ((server\$1 or node\$1) near2 (list or table))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:05 |
| S51 | 15   | S50 same ((secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2 or network) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 13:57 |

## EAST Search History

|     |      |   |   |    |     |                  |
|-----|------|---|---|----|-----|------------------|
| S52 | 8    | S50 with ((secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2 or network) near3 (boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:04 |
| S53 | 798  | (select\$3 or choos\$3 or designat\$3 or allocat\$3 or assign\$3 or elect\$3) near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$1))                       | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:09 |
| S54 | 5    | S53 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:11 |
| S55 | 4    | S53 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:07 |
| S56 | 66   | S53 same ((server\$1 or node\$1) near3 (list or table))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:10 |
| S57 | 28   | S53 with ((server\$1 or node\$1) near3 (list or table))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:08 |
| S58 | 0    | S56 same (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:08 |
| S59 | 1014 | (select\$3 or choos\$3 or designat\$3 or allocat\$3 or assign\$3 or elect\$3) near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$ or blade\$1 or card\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:37 |
| S60 | 66   | S59 same ((server\$1 or node\$1) near3 (list or table))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:10 |

## EAST Search History

|     |    |  |   |    |     |                  |
|-----|----|--|---|----|-----|------------------|
| S61 | 28 | S59 with ((server\$1 or node\$1) near3 (list or table))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:10 |
| S62 | 5  | S59 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:16 |
| S63 | 4  | S59 with ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:11 |
| S64 | 8  | S60 same ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1))                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:16 |
| S65 | 1  | S61 with ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1))                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:16 |
| S66 | 78 | S59 same ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1))                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:20 |
| S67 | 33 | S59 with ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1))                        | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:30 |
| S68 | 0  | S66 same ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (list or table)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:17 |
| S69 | 13 | S66 same (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:23 |
| S70 | 3  | S67 with (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:17 |

## EAST Search History

|     |     |  |   |    |     |                  |
|-----|-----|--|---|----|-----|------------------|
| S71 | 84  | S59 same ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:23 |
| S72 | 34  | S59 with ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:21 |
| S73 | 13  | S71 same (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:27 |
| S74 | 3   | S72 with (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:21 |
| S75 | 153 | S59 same (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:23 |
| S76 | 58  | S59 with (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:23 |
| S77 | 13  | S75 same ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:24 |
| S78 | 3   | S76 with ((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:23 |
| S79 | 27  | S59 same (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:26 |
| S80 | 5   | S59 with (secure\$2 or safe\$2 or reliab\$2 or dependab\$2 or reliant\$2)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:27 |

## EAST Search History

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| S81 | 10   | S79 same (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:33 |
| S82 | 0    | S80 with (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:27 |
| S83 | 35   | S59 with ((plurality or multiple or multi) near3 (server\$1 or node\$ or blade\$1 or card\$1))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:31 |
| S84 | 89   | S59 same (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:38 |
| S85 | 34   | S59 with (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:33 |
| S86 | 14   | S84 same (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:39 |
| S87 | 3    | S85 with (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:35 |
| S88 | 2048 | (select\$3 or choos\$3 or designat\$3 or allocat\$3 or assign\$3 or elect\$3) near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:51 |

## EAST Search History

|     |      |  |   |    |     |                  |
|-----|------|--|---|----|-----|------------------|
| S89 | 195  | S88 same (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:52 |
| S90 | 117  | S88 with (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:39 |
| S91 | 20   | S89 same (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:58 |
| S92 | 4    | S90 with (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:49 |
| S93 | 2285 | (select\$3 or choos\$3 or designat\$3 or allocat\$3 or assign\$3 or elect\$3) near6 (((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or BSP\$1) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:23 |
| S94 | 195  | S93 same (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:50 |
| S95 | 117  | S93 with (((plurality or multiple) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or (multi adj (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1))))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 14:54 |



## EAST Search History

|          |      |  |   |    |     |                  |
|----------|------|--|---|----|-----|------------------|
| S96      | 39   | S94 and 713/1.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:35 |
| S97      | 31   | S95 and 713/1.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:35 |
| S98      | 18   | S97 and (list or table)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:09 |
| S99      | 25   | S96 and (list or table)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:36 |
| S10<br>0 | 251  | (stor\$3 or hold\$3 or has or hav\$3 or<br>includ\$3 or contain\$3) near6<br>((trust\$2 or authoriz\$5 or approv\$3<br>or permi\$5 or accept\$4 or allow\$4)<br>near3 ((server\$1 or node\$1 or<br>processor\$1 or microprocessor\$1 or<br>CPU\$1) near2 (list or table))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:53 |
| S10<br>1 | 2    | S100 same ((network adj interface<br>adj card\$1) or NIC\$1 or (network<br>near2 (adapter\$1 or adaptor\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:20 |
| S10<br>2 | 9023 | (stor\$3 or hold\$3 or has or hav\$3 or<br>includ\$3 or contain\$3) near6<br>((trust\$2 or authoriz\$5 or approv\$3<br>or permi\$5 or accept\$4 or allow\$4)<br>near3 (list or table))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:19 |
| S10<br>3 | 10   | S102 same ((network adj interface<br>adj card\$1) or NIC\$1 or (network<br>near2 (adapter\$1 or adaptor\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:23 |
| S10<br>4 | 3    | S102 with ((network adj interface<br>adj card\$1) or NIC\$1 or (network<br>near2 (adapter\$1 or adaptor\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:21 |

## EAST Search History

|          |     |  |   |    |     |                  |
|----------|-----|--|---|----|-----|------------------|
| S10<br>5 | 204 | ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 (server\$1 or node\$ or blade\$1 or card\$1 or processor\$1 or microprocessor\$1 or CPU\$1)) or BSP\$1) near2 list | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:57 |
| S10<br>6 | 8   | S105 same ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:24 |
| S10<br>7 | 1   | S105 with ((network adj interface adj card\$1) or NIC\$1 or (network near2 (adapter\$1 or adaptor\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:24 |
| S10<br>8 | 31  | S95 and 713/2.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:35 |
| S10<br>9 | 42  | S94 and 713/2.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:36 |
| S11<br>0 | 17  | S108 and (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:36 |
| S11<br>1 | 22  | S109 and (list or table)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:36 |
| S11<br>2 | 10  | S105 and 713/2.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:48 |
| S11<br>3 | 4   | S105 and 713/1.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:49 |

## EAST Search History

|          |     |   |   |    |     |                  |
|----------|-----|---|---|----|-----|------------------|
| S11<br>4 | 29  | S105.clm.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 15:50 |
| S11<br>5 | 5   | ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1 or processor\$1 or microprocessor\$1 or CPU\$1) near2 (list or table))) and 713/1.ccls. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:40 |
| S11<br>6 | 4   | ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 ((server\$1 or node\$1 or processor\$1 or microprocessor\$1 or CPU\$1) near2 (list or table))) and 713/2.ccls. | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:33 |
| S11<br>7 | 120 | broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 request\$1)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:01 |
| S11<br>8 | 6   | S117 same (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:17 |
| S11<br>9 | 2   | S117 with (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:01 |
| S12<br>0 | 9   | (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 request\$1)) and 713/1.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:07 |
| S12<br>1 | 31  | (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near3 request\$1)) and 713/2.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:16 |
| S12<br>2 | 120 | (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:35 |

## EAST Search History

|          |     |  |   |    |     |                  |
|----------|-----|--|---|----|-----|------------------|
| S12<br>3 | 9   | S122 and 713/1.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:18 |
| S12<br>4 | 0   | S123 and (download\$3 near6<br>((boot\$3 or preboot\$ or (pre adj<br>boot\$3) or initializ\$5 or bootstrap\$4<br>or (boot adj strap\$4)) near2<br>(image\$1 or program\$1 or<br>routine\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 11:47 |
| S12<br>5 | 31  | S122 and 713/2.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:26 |
| S12<br>6 | 6   | S125 and (download\$3 near6<br>((boot\$3 or preboot\$ or (pre adj<br>boot\$3) or initializ\$5 or bootstrap\$4<br>or (boot adj strap\$4)) near2<br>(image\$1 or program\$1 or<br>routine\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:18 |
| S12<br>7 | 17  | S122 and (download\$3 near6<br>((boot\$3 or preboot\$ or (pre adj<br>boot\$3) or initializ\$5 or bootstrap\$4<br>or (boot adj strap\$4)) near2<br>(image\$1 or program\$1 or<br>routine\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:57 |
| S12<br>8 | 11  | ((trust\$2 or authoriz\$5 or approv\$3<br>or permi\$5 or accept\$4 or allow\$4)<br>near3 ((server\$1 or node\$1 or<br>processor\$1 or microprocessor\$1 or<br>CPU\$1) near2 (list or table))) and<br>(download\$3 near6 ((boot\$3 or<br>preboot\$ or (pre adj boot\$3) or<br>initializ\$5 or bootstrap\$4 or (boot<br>adj strap\$4)) near2 (image\$1 or<br>program\$1 or routine\$1))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:34 |
| S12<br>9 | 184 | ((trust\$2 or authoriz\$5 or approv\$3<br>or permi\$5 or accept\$4 or allow\$4)<br>near3 (server\$1 or node\$1 or<br>processor\$1 or microprocessor\$1 or<br>CPU\$1)) and (download\$3 near6<br>((boot\$3 or preboot\$ or (pre adj<br>boot\$3) or initializ\$5 or bootstrap\$4<br>or (boot adj strap\$4)) near2<br>(image\$1 or program\$1 or<br>routine\$1)))                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:42 |

## EAST Search History

|          |       |   |   |    |     |                  |
|----------|-------|---|---|----|-----|------------------|
| S13<br>0 | 87    | ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1)) and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:46 |
| S13<br>1 | 13    | S130 and (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:58 |
| S13<br>2 | 14    | ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1)) same (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:56 |
| S13<br>3 | 10    | ((trust\$2 or authoriz\$5 or approv\$3 or permi\$5 or accept\$4 or allow\$4) near3 (server\$1 or node\$1)) with (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:37 |
| S13<br>4 | 12    | S130 and 713/2.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:40 |
| S13<br>5 | 5     | S130 and 713/1.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:40 |
| S13<br>6 | 11344 | (secure\$1 or safe or protected) near2 network\$1   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:55 |
| S13<br>7 | 15    | S129 and S136   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:42 |

## EAST Search History

|          |       |  |   |    |     |                  |
|----------|-------|--|---|----|-----|------------------|
| S13<br>8 | 0     | S136 same (hyper adj secure adj remote adj service adj network)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:45 |
| S13<br>9 | 2     | (hyper adj secure adj remote adj service adj network)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:45 |
| S14<br>0 | 9     | S130 and ((remote adj supervisory adj adapter) or RSA)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:48 |
| S14<br>1 | 10154 | ((remote adj supervisory adj adapter) or RSA)  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:48 |
| S14<br>2 | 5     | (remote adj supervisory adj adapter)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:48 |
| S14<br>3 | 15    | S130 and ((secure\$1 or safe or protected) near2 network\$1)   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:57 |
| S14<br>4 | 5     | S132 same S136   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 16:56 |
| S14<br>5 | 24    | ((secure\$1 or safe or protected) near2 network\$1) and 713/1.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:01 |
| S14<br>6 | 0     | S145 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:20 |

## EAST Search History

|          |    |  |   |    |     |                  |
|----------|----|--|---|----|-----|------------------|
| S14<br>7 | 0  | S145 and (broadcast\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4) or bootp) near3 request\$1))                   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 10:57 |
| S14<br>8 | 22 | ((secure\$1 or safe or protected) near2 network\$1) and 713/2.ccls.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:16 |
| S14<br>9 | 15 | S130 and ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:19 |
| S15<br>0 | 32 | ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1)) and 713/1.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:38 |
| S15<br>1 | 0  | S150 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:25 |
| S15<br>2 | 13 | S150 and administrator   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:24 |
| S15<br>3 | 27 | ((secure\$1 or safe or protected) near3 (network\$1 or (local adj area adj network\$1) or LAN\$1)) and 713/2.ccls.   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:24 |
| S15<br>4 | 17 | S153 and administrator   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:24 |
| S15<br>5 | 6  | S153 and (download\$3 near6 ((boot\$3 or preboot\$ or (pre adj boot\$3) or initializ\$5 or bootstrap\$4 or (boot adj strap\$4)) near2 (image\$1 or program\$1 or routine\$1))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:36 |

## EAST Search History

|          |     |   |   |    |     |                  |
|----------|-----|---|---|----|-----|------------------|
| S15<br>6 | 16  | (Khanna and Rahul).in.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:36 |
| S15<br>7 | 167 | (Zimmer and Vincent and J).in.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:36 |
| S15<br>8 | 4   | S157 and (download\$3 near6<br>((boot\$3 or preboot\$ or (pre adj<br>boot\$3) or initializ\$5 or bootstrap\$4<br>or (boot adj strap\$4)) near2<br>(image\$1 or program\$1 or<br>routine\$1))) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:36 |
| S15<br>9 | 10  | S157 and ((secure\$1 or safe or<br>protected) near3 (network\$1 or<br>(local adj area adj network\$1) or<br>LAN\$1))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/08 12:07 |
| S16<br>0 | 0   | S157 and ((trust\$2 or authoriz\$5 or<br>approv\$3 or permi\$5 or accept\$4 or<br>allow\$4) near3 ((server\$1 or<br>node\$1) near3 (list or table)))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:41 |
| S16<br>1 | 6   | S157 and ((server\$1 or node\$1)<br>near3 (list or table))  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2006/03/07 17:41 |